Data goldmine: Maximizing Insights from WCLN Surveillance Data

Matthew Martin, Ph.D.
Annie Sanchez, Ph.D.

Matthew Martin, Ph.D. CDC LLS Fellow 2022







Annie Sanchez, Ph.D. CDC LLS Fellow 2023








LCDR Abigail




Laboratory-Based Surveillance Plan 2023-2024

Testing Data



Specimens





















Testing Data












Specimens














March 4, 2024

Laboratory Surveillance Report

** For a selection of pathogens, participating Wisconsin clinical laboratories voluntarily report to WSLH on a weekly basis the total number of tests performed, and the number of those tests with positive results.

To enhance surveillance activities, each week please send:

- PCR/Molecular Testing sites:
 - One Influenza-related hospitalization
 - Influenza A specimens:
 - That fail to subtype (Ct <35)
 - · With swine or avian exposure
 - · With international travel history
- All Testing Sites:
- Up to 5 SARS-CoV-2 positive specimens



Respiratory Snapshot:

- Influenza activity is high in Wisconsin (20.3%) and nationally (14.2%).
 - Influenza A is the dominant strain circulating (66%)
 - H1pdm09 is the dominant Influenza A subtype circulating (55%).
- Rhino/Enterovirus (10.1%) and Seasonal coronavirus (9.6%) activities are high in Wisconsin.

Enteric Snapshot:

 Norovirus activity is high (15.8%) in Wisconsin.

Other:

 Group A Streptococcus activity in Wisconsin is high (23.3%).




Laboratory-Based Surveillance Plan 2023-2024


https://www.slh.wisc.edu/wcln-surveillance/surveillance/

What else could we be doing with all this data?



Use of rapid molecular platforms has been increasing





Problems with detection accuracy have been reported



BIOMÉRIEUX

November 2022

BIOFIRE GI PANEL Cryptosporidium Update

Dear Valued BIOFIRE® FILMARRAY® Customer,

The purpose of this letter is to inform you that bioMérieux has received an increased number of reports of unconfirmed *Cryptosporidium* results (i.e. "false positive" results)

IMPORTANT:

URGENT: MEDICAL DEVICE RECALL

BIOFIRE® FILMARRAY® Gastrointestinal (GI) Panel – Ref. Number: RFIT-ASY-

0116 & RFIT-ASY-0104

FSCA 5812 – Increased Risk of False Positive Norovirus Results with the BIOFIRE® FILMARRAY® Gastrointestinal (GI) Panel

January 26, 2024

To the attention of the Laboratory Director

bioMérieux Reference: FSCA 5812

Table 1 - Affected Product

Product Name	Reference #	Kit Lot#	Expiration Date
BIOFIRE GI	RFIT-ASY-0116 (30-pack)	N/A - All lot	N/A - All unexpired
Panel	RFIT-ASY-0104 (6-pack)	numbers	product

Can we detect instrument problems with the data?



What information is submitted?










How can we use this information?



```
# positive

= % positivity

# tested
```

Cryptosporidium

Cases

Leading cause of waterborne disease outbreaks from 2001-2010


Symptoms

Diarrhea, vomiting, nausea, stomach pain, dehydration, weight loss, fever Sample type


Stool

BioFire %positivity trended higher from 2018-2021





monthly



Norovirus

Cases/year

19-21 million in the U.S.

Symptoms


Diarrhea, vomiting, nausea, stomach pain

Sample type


Stool

~Two-fold increase in BioFire %positivity from 2022-2023

yearly




monthly




Clinical specimens can give further insight



Confirmation testing at WSLH suggests instrument issues



Confirmation testing at WSLH suggests instrument issues



LETTERS TO THE EDITOR


February 2020 Volume 58 Issue 2 10.1128/jcm.01415-19 https://doi.org/10.1128/jcm.01415-19

Performance and Impact of the BioFire FilmArray Gastrointestinal Panel on a Large *Cyclospora* Outbreak in Wisconsin, 2018


Allen C. Bateman^a, Youngmi J. Kim^a, Ana I. Guaracao^a, Jordan L. Mason^b, Rachel F. Klos^b, David M. Warshauer^a

^aCommunicable Disease Division, Wisconsin State Laboratory of Hygiene, Madison, Wisconsin, USA ^bDivision of Public Health, Wisconsin Department of Health Services, Madison, Wisconsin, USA





Percent positivity by instrument




```
# positive

= % positivity

# tested
```

Higher % positivity from Biofire tested samples


Campylobacter Percent Positivity




WSLH testing can give further insight




WSLH testing can give further insight





Lower colony recovery rates from BioFireusing labs



Salmonella

Cases/year

~1.35 million in the U.S.


Symptoms

Diarrhea, fever and stomach cramps


Sample type

Stool

Increase % positivity for *Salmonella* using BioFire



No changes in culture recovery for Salmonella



Shiga-toxin producing *E. coli*

Cases/year

~265,000 in the U.S.

Symptoms


Bloody diarrhea and hemolytic uremic syndrome

Sample type

Stool


Increase % positivity for STEC using BioFire

STEC Percent Positivity



No changes in culture recovery for STEC





BioFire results are organism dependent



Thank you for your submissions!

ABOUT WSLH WSLH SERVICES LAB NETWORKS & SURVEILLANCE RESEARCH SUPPORT CENTER NEWS & PUBLICATIONS

PAY YOUR BILL

■ Lab Networks & Surveillance

 Wisconsin Clinical Laboratory Network
 Training Events

Surveillance

- Bacteriology Surveillance Mycobacteriology Surveillance
- Virology Surveillance
- Gastropathogen Surveillance
- Wisconsin Mycobacteriology Laboratory Network
 Communicable Diseases
 Emergency Response

Clinical Testing Data Surveillance

In collaboration with other public health partners, the WSLH has developed data-driven statewide respiratory and gastrointestinal pathogen surveillance programs in Wisconsin. Weekly reporting of diagnostic testing data to WSLH is important so that public health partners know what communicable diseases are impacting community health in Wisconsin. The complete Laboratory-based surveillance plan for the 2023-24 season is available at the bottom of this page.

Wisconsin Respiratory Surveillance Program:

The aim of this program is to gain situational awareness of the respiratory pathogens circulating in Wisconsin, including geographic spread and positivity rates. **All Sites** in Wisconsin performing PCR/molecular and/or rapid antigen testing for respiratory pathogens are asked to submit their testing data on a **weekly basis** (number tested, number positive) **all year round**.

Wisconsin Acute Diarrheal Illness Surveillance Program:

The aim of this program is to gain awareness of the gastrointestinal pathogens effecting community health in Wisconsin. The WSLH requests that clinical labs submit gastropathogen PCR testing data for bacterial, parasitic and viral pathogens on a **weekly basis** (number tested, number positive), **all year round.**







Click Here to Report Wisconsin Test Data

slh.wisc.edu/wcln-surveillance/surveillance/

Contact Information

Wisconsin Clinical Laboratory Network

WCLN@slh.wisc.edu Erin.Bowles@slh.wisc.edu

WSLH Clinical Orders 800-862-1088



Laboratory-Based Surveillance Plan 2023-2024

Contact Information

Wisconsin Clinical Laboratory
Network
WCLN@slh.wisc.edu

Erin.Bowles@slh.wisc.edu

WSLH Clinical Orders 800-862-1088

Purple Mountain Solutions
800-990-9668
Purplemountainsolutions.com




slh.wisc.edu/wcln-surveillance/surveillance/



Laboratory-Based Surveillance Plan 2023-2024

NO COST



Specimen shipping supplies and requisition forms

NO COST



Specimen transport to WSLH



slh.wisc.edu/wcln-surveillance/surveillance/

Contact Information

Wisconsin Clinical Laboratory Network

WCLN@slh.wisc.edu Erin.Bowles@slh.wisc.edu

WSLH Clinical Orders 800-862-1088



Contact Information

Wisconsin Clinical Laboratory Network

WCLN@slh.wisc.edu Erin.Bowles@slh.wisc.edu

WSLH Clinical Orders 800-862-1088

Thank you!

Speaker Contact:

Matthew Martin, Ph.D.

Matthew.Martin@slh.wisc.edu

Annie Sanchez, Ph.D. Annie.Sanchez@slh.wisc.edu

Contact Information

Wisconsin Clinical Laboratory Network

WCLN@slh.wisc.edu Erin.Bowles@slh.wisc.edu

WSLH Clinical Orders 800-862-1088